

PRODUCT COLLECTION

EN

modbar®

MODBAR DNA

Modbar is the original undercounter brewing manufacturer, creating beautiful machines that open up the bar and increase hospitality. The core of our DNA – our brand promise – is to be at the heart of a beautiful cafe experience.

To live up to that promise, we:

- Offer innovative design solutions for workflow and efficiency
- Help customers realize their vision for cafe design
- Guide customers in designing for cafe experience
- Produce machines that work consistently and reliably
- Provide exceptional customer support and a reliability guarantee

Our customers – cafe designers, entrepreneurs, architects, and hospitality experts – look to Modbar for a premium product that will help them create an iconic space for their customers.

Coffee consumers are now demanding seamless, customer-oriented cafe experiences that feel effortless and deliver on quality. At the same time, designers and architects are pushing the boundaries of what a cafe can be.

With Modbar, designers create a space for coffee that doesn't necessarily feel like a coffeehouse – customers are surprised to see coffee coming out of a Modbar Espresso tap, as if by magic.





modbar

ESPRESSO SYSTEM AV

The most consistent and stable under-counter espresso equipment available. Crafted and sold in full partnership with La Marzocco.



The product of years of collaborative R&D between Modbar and La Marzocco, and based on R&D from the Linea PB and Linea Mini, Modbar Espresso AV comes with the same level of reliability, performance and temperature stability that made the Linea PB an industry icon.

SPECIFICATIONS

- Linea PB volumetrics and optional scales
- multi-position lever with four saved programs
- add-a-tap system for two taps per module*
- easy access to water, power and drain connections
- pid temperature control
- simple heads-up display
- heads-up shot timer
- easy group access for maintenance
- heated brew group
- La Marzocco portafilters
- chromed tap

*only mod 2 gr

SPECS	TAP	MOD 2 GR	MOD 1 GR
Dimensions	5.5 x 12.5 x 14 in 14 x 32 x 36 cm	16 x 15 x 8.5 in 41 x 38 x 22 cm	16 x 15 x 8.5 in 41 x 38 x 22 cm
Weight	23 lbs 10.5 kg	40 lbs 18 kg	36.5 lbs 16,5 kg
Capacity		2.8 l dual boiler	1.4 l

ELECTRICAL	MOD 2 GR (CE)	MOD 2 GR (ETL)	MOD 1 GR
Voltage	208 - 240V	208 - 240V	208 - 240V / 110V
Amps	14A max ¹	14.2A max ¹	7A / 14A
Element Wattage	3227W max ¹	3264W max ¹	1520W
Frequency	50/60Hz	50/60Hz	50/60Hz
Phase	single	single	single
Certifications	CE	ETL ²	ETL ² , CE, NSF

¹ 1 mod + 2 taps

² listed for electrical safety in US and Canada, complies with UL-197 and CSA22.2 listed for sanitation, complies with NSF/ANSI Standard 4

modbar

ESPRESSO SYSTEM EP

Make an instant design statement without sacrificing performance and control. Cafes choose Modbar because they see the importance of transparency between baristas and guests.



The mod and tap work together to give you complete control over bar design and espresso extraction. We've worked with baristas, cafe owners, roasters and machine technicians to design state-of-the-art gear that transforms the customer experience.

SPECIFICATIONS

- programmable pressure profiling
- manual and automatic modes
- volumetric dosing
- 3-zone pid temperature control
- 2 progressive boilers
- automatic rinse and cleaning programs
- control over brewing temp and pressure
- heads-up display
- heated brew group
- chromed tap
- La Marzocco portafilters
- custom handle finishes walnut (standard) or maple

SPECS	TAP	MOD
Dimensions	5.5 x 12 x 12 in	16 x 14 x 5.5 in
	14 x 30 x 30 cm	41 x 36 x 14 cm
Weight	15 lbs	35 lbs
	7 kg	16 kg
Capacity		1.2 l dual boiler

ELECTRICAL

Voltage	208V - 240V
Amps	15A (ETL) / 14A (CE)
Element Wattage	3300W
Frequency	50/60Hz
Phase	single
Certifications	ETL ¹ , CE

¹ listed for electrical safety in US and Canada, complies with UL-197 and CSA22.2 listed for sanitation, complies with NSF/ANSI Standard 4

modbar

STEAM SYSTEM

More than just a steam station, Modbar Steam delivers a minimal, modern aesthetic coupled with power and control. Give your customers a full view of their drink being prepared, from espresso pull to rosetta.



Recreate a traditional espresso machine with two Steam taps next to your Modbar Espresso, or set up distinct service areas to suit your workflow. Cafes can add a Steam tap or two to boost throughput, rather than purchasing a second full espresso machine.

SPECIFICATIONS

- double wall pro touch wand
- chromed tap
- ergonomic handle designed to match Espresso AV
- custom handle finishes walnut (standard) or maple
- omnidirectional ball fitting
- minimal purge required with no steam valve rebuilds
- linea-style porthole boiler sight glass
- simple on/off switch controlled by solenoid in the module
- right-hand side connections for easy service access

SPECS	TAP	MOD
Dimensions	3.5 x 12.6 x 13.5 in	16 x 14 x 8.6 in
	9 x 32 x 34 cm	41 x 36 x 22 cm
Weight	7.7 lbs	40 lbs
	3.5 kg	18 kg
Capacity		4.6 l

ELECTRICAL

Voltage	208V - 240V
Amps	14.4A (ETL) / 13A (CE)
Element Wattage	3310W (ETL) / 2705W (CE)
Frequency	50/60Hz
Phase	single
Certifications	ETL ¹ , CE

¹ listed for electrical safety in US and Canada, complies with UL-197 and CSA22.2 listed for sanitation, complies with NSF/ANSI Standard 4

modbar

POUR-OVER SYSTEM

Expand your menu – and your margins – with automated by-the-cup offerings. Maintain full control with manual brewing and programmed pulse recipes on the counter.



Brew by hand using one of the two included spray tips, or teach the machine up to 25 different recipes accessible at the touch of a button. Adjust flow rate to suit your brew method and extraction preferences.

SPECIFICATIONS

- store 25+ pour-over profiles
- two active profiles at a time
- automatic and manual brewing modes
- built in flow control valve
- volumetric and time based dosing
- holder ring and two spray tips included
- unique “teaching” mode; perform your pour by hand and the system memorizes and stores it for you
- flexible hose and wand
- two spray patterns
- lab mount system
- chromed tap

SPECS	TAP	MOD
Dimensions	7x 9 x 17.5 in 18 x 23 x 45 cm	16 x 14 x 5.5 in 41 x 36 x 14 cm
Weight	12 lbs 6 kg	35 lbs 16 kg
Capacity		1.2 l dual boiler (zero recovery) ¹

ELECTRICAL

Voltage	208V - 240V
Amps	13A (ETL) / 11A (CE)
Element Wattage	3000W
Frequency	50/60Hz
Phase	single
Certifications	ETL ² , CE

¹ @ 650ml/minute flow

² listed for electrical safety in US and Canada, complies with UL-197 and CSA22.2 listed for sanitation, complies with NSF/ANSI Standard 4



CUSTOM COLORS


ESPRESSO AV




ESPRESSO EP



STEAM



POUR-OVER



modbar®

www.modbar.com | @modbar

USA ☎ +1-260-454-5040 | 628 Leesburg Rd., Fort Wayne, IN, 46808

WORLD ☎ +39-055-849191 | Via La Torre 14/H, 50038, Scarperia e San Piero (FI), Italy

All specifications are subject to change without notice.

WWW.MODBAR.COM